

# Reference List

Articles used in the creation of “What is a midwife, and could they be a better choice for your pregnancy care?”

Attanasio, L. B., Alarid-Escudero, F., & Kozhimannil, K. B. (2020). Midwife-led care and obstetrician-led care for low-risk pregnancies: a cost comparison. *Birth*, 47(1), 57-66.

Australian College of Midwives. (2021?). *Who we are*. <https://www.midwives.org.au/what-midwife>

Australian Department of Health. (2021). *Nurses and midwives in Australia*. <https://www.health.gov.au/health-topics/nurses-and-midwives/in-australia>

Cummins, A., Coddington, R., Fox, D., & Symon, A. (2020). Exploring the qualities of midwifery-led continuity of care in Australia (MiLCCA) using the quality maternal and newborn care framework. *Women and Birth*, 33(2), 125-134. <https://doi.org/https://doi.org/10.1016/j.wombi.2019.03.013>

Hildingsson, I., Rubertsson, C., Karlström, A., & Haines, H. (2019). A known midwife can make a difference for women with fear of childbirth- birth outcome and women’s experiences of intrapartum care. *Sexual & Reproductive Healthcare*, 21, 33-38. <https://doi.org/https://doi.org/10.1016/j.srhc.2019.06.004>

Homer, C. S. (2016). Models of maternity care: evidence for midwifery continuity of care. *Medical Journal of Australia*, 205(8), 370-374.

Homer, C. S., Cheah, S. L., Rossiter, C., Dahlen, H. G., Ellwood, D., Foureur, M. J., Forster, D. A., McLachlan, H. L., Oats, J. J., & Sibbritt, D. (2019). Maternal and perinatal outcomes by planned place of birth in Australia 2000–2012: a linked population data study. *BMJ open*, 9(10), e029192. <https://bmjopen.bmj.com/content/9/10/e029192>

Iida, M., Horiuchi, S., & Nagamori, K. (2021). Women’s experience of receiving team-midwifery care in Japan: A qualitative descriptive study. *Women and Birth*, 34(5), 493-499. <https://doi.org/https://doi.org/10.1016/j.wombi.2020.09.020>

Larsson, B., Rubertsson, C., & Hildingsson, I. (2020). A modified caseload midwifery model for women with fear of birth, women’s and midwives’ experiences: A qualitative study. *Sexual & Reproductive Healthcare*, 24, 100504. <https://doi.org/https://doi.org/10.1016/j.srhc.2020.100504>

Perriman, N., Davis, D. L., & Ferguson, S. (2018). What women value in the midwifery continuity of care model: a systematic review with meta-synthesis. *Midwifery*, 62, 220-229. <https://www.sciencedirect.com/science/article/abs/pii/S0266613818301153#:~:text=The%20meta%2Dsynthesis%20describes%20the,building%20of%20trust%20and%20empowerment>

Sandall, J., Soltani, H., Gates, S., Shennan, A., & Devane, D. (2016). Midwife-led continuity models of care compared with other models of care for women during pregnancy, birth and early parenting. *Cochrane Database Syst Rev*, 4, CD004667.

<https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD004667.pub5/full>

Souter, V., Nethery, E., Kopas, M. L., Wurz, H., Sitcov, K., & Caughey, A. B. (2019). Comparison of Midwifery and Obstetric Care in Low-Risk Hospital Births. *Obstetrics & Gynecology*, 134(5), 1056-1065. <https://doi.org/10.1097/aog.0000000000003521>